



**Turn Services**  
**HURRICANE**  
**PREPAREDNESS**  
**PLAN 2019**



3333 Chartres Street, New Orleans, LA 70117  
Phone: 504.949.1014 • Fax: 504.949.1024

## PURPOSE

This Hurricane Preparedness Plan (“Plan”) is intended to provide an organized process for **TURN SERVICES, LLC (“Turn Services”)** to protect its employees, environment, equipment, and Customer’s equipment from adverse effects of a tropical storm or hurricane. The Plan assigns responsibilities and establishes procedures for the coordinated efforts necessary to provide for the mitigation, preparedness, response, and recovery involving an adverse tropical weather system.

The Plan outlines the steps the individuals and company should take to handle the emergency. The Plan was approved by the management of Turn Services.

The task of providing for all contingencies associated with such emergencies is impossible. Should any situation not covered by this Plan arise, the manager in charge of their organizational group shall take appropriate action and/or refer the matter to a higher authority.

Turn Services’ entire Gulf Coast geographic area is subject to the destructive force of hurricane winds. Because of low elevations, many areas of the operation are subject to flooding or pooling of water caused by intense hurricane-associated rainfall. Hurricane winds do much damage, but tidal surges can and do cause substantial damage, too.

This plan outlines actions to be taken at all Turn Services facilities. Some Turn Services facilities are located below MM 71 AHP. These facilities are subject to special considerations in accordance with Coast Guard Requirements and industry best practice. The historic vulnerabilities associated with barge fleeing below MM 71 AHP during a severe weather event along the Lower Mississippi River are well documented. **Turn Services reserves the right to implement pre-storm preparatory actions ahead of U.S. Coast Guard Port Conditions, if deemed necessary, to ensure navigation safety when considering the projected storm path, intensity, and prevailing river stage.**

June through November is “Hurricane Season” in the Gulf Coast area, with August, September and October as the peak months. Hurricanes bring violent winds and torrential rains, which may result in widespread devastation.

## DEFINITIONS

STORM DEFINITIONS (per the National Hurricane Center):

Gale Warning	Non-tropical, sub-tropical, or post-tropical sustained surface winds of 39-54 miles per hour are expected.
Tropical Storm Warning	Tropical, sub-tropical, or post-tropical cyclone winds of 39-73 miles per hour <b>MAY</b> threaten an area within 36 hours.
Hurricane Watch	Tropical, sub-tropical, or post-tropical cyclone winds of 74 miles and above <b>MAY</b> threaten an area within 48 hours.
Hurricane Warning	Tropical, sub-tropical, or post-tropical cyclone winds of 74 miles and above <b>WILL</b> threaten an area within 36 hours.

HURRICANE CATEGORIES (per the National Weather Service):

Storm size or force is based on the Saffir-Simpson Hurricane Scale. This scale defines five categories as follows:

CATEGORY	SUSTAINED WIND	STORM SURGE (approximate)	ANTICIPATED DAMAGE
1	74-95	4-5 Feet	Minimal
2	96-110	5-8 Feet	Moderate
3	111-129	9-12 Feet	Extensive
4	130-156	13-18 Feet	Extreme
5	157 and above	Above 18 Feet	Catastrophic

**2019 HURRICANE PREPAREDNESS PLAN**  
**INCLUDES CONSIDERATION FOR HIGH WATER**

HURRICANE CONDITIONS (based on U.S. Coast Guard Port Conditions):

For the purpose of this Plan, operational procedures and associated responsibilities are outlined according to the hurricane conditions listed here. Hurricane conditions are based on predictions by the National Weather Service and the National Hurricane Center and describe the time remaining before hurricane force winds are possible in the area. Normally the Commander of the Eighth Coast Guard District sets port conditions for the LMR. Turn Services will operate in accordance with Coast Guard requirements while reserving the right to advance timelines as necessary to maintain the safety and security of company and customer owned equipment and the port. Customers will be notified of Turn Services intentions to tie down, block, remove, or otherwise modify floating equipment. Any cost incurred by Turn Services in the course of these actions may be billed to the equipment owner.

Carrollton Gauge Above 12 feet	
CONDITION FIVE	An alert condition automatically set annually on June 1, which remains in effect through November 30.
CONDITION FOUR	An alert condition in which gale force winds are possible within 84 hours at the Southwest Pass Farewell Buoy.
CONDITION THREE	A readiness condition in which gale force winds are possible within 60 hours at the Southwest Pass Farewell Buoy.
CONDITION TWO	A warning condition in which gale force winds are possible within 36 hours at the Southwest Pass Farewell Buoy.
CONDITION ONE	A danger condition in which gale force winds are possible within 18 hours at the Southwest Pass Farewell Buoy.

Carrollton Gauge Below 12 feet	
CONDITION FIVE	An alert condition automatically set annually on June 1, which remains in effect through November 30.
CONDITION FOUR (PORT CONDITION WHISKEY)	An alert condition in which gale force winds are possible within 72 hours at the Southwest Pass Farewell Buoy.
CONDITION THREE (PORT CONDITION X-RAY)	A readiness condition in which gale force winds are possible within 48 hours at the Southwest Pass Farewell Buoy.
CONDITION TWO (PORT CONDITION YANKEE)	A warning condition in which gale force winds are possible within 24 hours at the Southwest Pass Farewell Buoy.
CONDITION ONE (PORT CONDITION ZULU)	A danger condition in which gale force winds are possible within 12 hours at the Southwest Pass Farewell Buoy.

**COMMAND STRUCTURE:**

<b>FACILITY or DEPARTMENT</b>	<b>PRIMARY CONTACT</b>	<b>SECONDARY CONTACT</b>
Towing and External Vessel Operations	Shawn Dauzat Jason Pitre Denny Palmer	Mike Marshall Brad Chauvin
Crew Boat Operations	Robert Dick	Brad Chauvin
New Roads, IMT Fleet, Burnside Fleet, and CHS Fleet Operations	Shawn Dauzat Jason Pitre Denny Palmer	Brad Chauvin John Garner Ricky Stein
Triangle Fleet	Dustin Smith Aaron LeBlanc Ricky Stein	John Garner
Harahan Fleet	Ted Monroe Jeffery Turner	John Garner
Dockside Fleet	Ray Watson Albert Bentley	John Garner
Meraux Fleet	Ray Watson Calvin Honora	John Garner
Myrtle Grove Fleet	Allen Synigal Chris Harvey	John Garner
Administrative Office Operations	Darlene Valdez Victoria Miceli	Mike Marshall
Côte Blanche Fleet	Shawn Dauzat Jason Pitre Denny Palmer	Brad Chauvin
Safety and Compliance	Mike Breslin	Robert Mueller
Claims and Risk Management	David Bullard	Tony Collins
Dispatch	Gena Wilson	Matt Hayden

**COMMAND STRUCTURE (continued)**

<b>FACILITY or DEPARTMENT</b>	<b>PRIMARY CONTACT</b>	<b>SECONDARY CONTACT</b>
Crew Logistics and Supply	Stacey Migliore	Raymond Fleming
Fleet Operations	John Garner	Mike Marshall
Shipyards	Ronald Breaux	Brad Chauvin
Vessel and Facility Maintenance	Ronald Breaux	Brad Chauvin
Operations and Planning	Mike Marshall	Mario Muñoz
Customer Information	Matt Hayden	Gena Wilson
Marketing and Public Affairs	Dawn Lopez	N/A

HURRICANE SEASON PREPAREDNESS: ALL EMPLOYEES ARE ENCOURAGED TO HAVE THEIR OWN HURRICANE PREPAREDNESS PLAN IN PLACE WELL AHEAD OF ANY IMPENDING STORM.

## CONDITION FIVE

*This condition should always be maintained throughout Hurricane Season*

### PUSH BOATS

Shawn – Jason – Denny

1. Ensure crew phone and availability list is up to date.
2. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### CREW BOATS

Robert D. – Brad

1. Ensure crew phone and availability list is up to date.
2. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### NEW ROADS/TIGER FLEET

Shawn – Jason – Denny

1. The assigned vessel(s) should consult with Turn Services' vessel management department whenever there is weather of a tropical nature in the gulf.
2. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### BURNSIDE FLEET

Shawn – Jason – Denny – Ricky

1. Check all pumps for proper operation and gas supply.
2. Inventory emergency supplies and obtain missing items.
3. Remove loose lines and rigging from barges in fleet.
4. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
5. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

## CONDITION FIVE (continued)

### TRIANGLE FLEET

Dustin – Aaron – Ricky – John

1. Visually inspect all shore wires and winches for proper tension.
2. Check all spar barges for leaks and repair as needed.
3. Check sump pumps and float switches in all spar barges. Repair or replace as needed.
4. Check and trim trees to protect power lines.
5. Check all pumps for proper operation and gas supply.
6. Inventory emergency supplies and obtain missing items.
7. Remove loose lines and rigging from barges in fleet.
8. Check all voids on crane barge in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
9. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
10. Make temporary repairs to hulls, decks and covers as needed.
11. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### HARAHAN FLEET

Ted – Jeff – John

1. Ensure Turn employees are familiar with the Customer's hurricane plan and they are familiar with ours.

### DOCKSIDE FLEET

Ray - Albert – John

1. Visually inspect all shore wires and winches for proper tension.
2. Check all spar barges for leaks and repair as needed.
3. Check sump pumps and float switches in all spar barges. Repair or replace as needed.
4. Check and trim trees to protect power lines.
5. Check all pumps for proper operation and gas supply.
6. Inventory emergency supplies and obtain missing items.
7. Remove loose lines and rigging from barges in fleet.
8. Check all voids on crane barge in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
9. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
10. Make temporary repairs to hulls, decks and covers as needed.
11. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.



## CONDITION FIVE (continued)

### MERAUX FLEET

#### Ray – Calvin – John

1. Visually inspect all shore wires and winches for proper tension.
2. Check all spar barges for leaks and repair as needed.
3. Check sump pumps and float switches in all spar barges. Repair or replace as needed.
4. Check and trim trees to protect power lines.
5. Check all pumps for proper operation and gas supply.
6. Inventory emergency supplies and obtain missing items.
7. Remove loose lines and rigging from barges in fleet.
8. Check all voids on crane barge in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
9. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
10. Make temporary repairs to hulls, decks and covers as needed.
11. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### MYRTLE GROVE FLEET

#### Allen – Chris – Albert

1. Visually inspect all shore wires and winches for proper tension.
2. Check all spar barges for leaks and repair as needed.
3. Check sump pumps and float switches in all spar barges. Repair or replace as needed.
4. Check and trim trees to protect power lines.
5. Check all pumps for proper operation and gas supply.
6. Inventory emergency supplies and obtain missing items.
7. Remove loose lines and rigging from barges in fleet.
8. Check all voids on crane barge in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
9. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
10. Make temporary repairs to hulls, decks and covers as needed.
11. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### CHS FLEET

#### Shawn – Jason - Denny

1. Check all pumps for proper operation and gas supply.
2. Inventory emergency supplies and obtain missing items.
3. Remove loose lines and rigging from barges in fleet.
4. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
5. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

## CONDITION FIVE (continued)

### IMT FLEET

#### Shawn – Jason – Denny

1. Check all pumps for proper operation and gas supply.
2. Inventory emergency supplies and obtain missing items.
3. Remove loose lines and rigging from barges in fleet.
4. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
5. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### CÔTE BLANCHE

#### Shawn – Jason – Denny

1. Visually inspect all shore wires and winches for proper tension.
2. Check all spar barges for leaks and repair as needed.
3. Check sump pumps and float switches in all spar barges. Repair or replace as needed.
4. Check and trim trees to protect power lines.
5. Check all pumps for proper operation and gas supply.
6. Inventory emergency supplies and obtain missing items.
7. Coordinate with logistics to obtain a 7kw generator with fuel to operate same for 48 hours.
8. Remove loose lines and rigging from barges in fleet.
9. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
10. Ensure that Turn employees are familiar with the Customer's hurricane plans and that the Customer is familiar with ours.

### ADMINISTRATIVE OFFICE

#### Darlene – Victoria – Mike M.

1. A meeting will be held within the first week of hurricane season and then monthly thereafter through the hurricane season to ensure elements of this Plan are being met and changes made, if warranted.

### RISK MANAGMENT

#### David – Tony

1. Risk management will obtain re-entry passes for appropriate personnel.

### DISPATCH

#### Gena – Reece – Matt

1. Ensure dispatch laptop is available with cellular connectivity.
2. Matt shall ensure Customers are informed of our Plan requirements (e.g., Turn requires that covers be secured during a hurricane or Customer barges must be removed).

## CONDITION FIVE (continued)

### CREW LOGISTICS AND SUPPLY

#### Stacey – Raymond

1. Ensure fuel for all equipment is available. The amount is to the discretion of this department.
2. Increase critical supply inventory to supply all boats and fleets for 1 week.
3. Keep three (3) 3" trash pumps with hoses and gaskets on hand.
4. Keep three (3) 2" trash pumps with hoses and gaskets on hand.

### VESSEL AND FACILITY MAINTENANCE

#### Ronald – Brad

1. M/V Mr. Ed (If in storage):
  - a. Visually inspect M/V MR. ED and trailer and ensure the boat is properly supplied.
  - b. Start up and run M/V MR. ED to ensure everything is in working order.
2. M/V Mr. Ed (if in service):
  - a. If in service, the crew boat port captain is in charge of the M/V Mr. Ed.
3. Ensure the 300-gallon portable fuel tank, which is stored at Chalmette Slip, is serviceable, clean, and ready to be filled.

**SEE SPECIAL INSTRUCTIONS STARTING ON PAGE 28 FOR ADDITIONAL INSTRUCTION.**

## CONDITION FOUR

***In force when Carrollton gauge above 12 feet: Gale Force Winds Possible Within 84 Hours at Southwest Pass Farewell Buoy***

***In force when Carrollton gauge below 12 feet: Gale Force Winds Possible Within 72 Hours at Southwest Pass Farewell Buoy***

### PUSH BOATS

Shawn – Jason - Denny

1. Top off fuel and water tanks.
2. Inventory supplies and submit to crew logistics and supply department.
3. Create grocery order and submit to crew logistics and supply department.
4. Test all pumps for proper operation.
5. Check and secure all manhole covers and repair as needed.
6. Check all dogs and gaskets on water tight doors and repair as needed.
7. Verify crew availability and contact numbers.
8. Secure missile hazards and stow all equipment not needed.
9. Verify that oil changes will not be needed in next 150 hours and change if needed.
10. Review recent monthly inspection for outstanding items that might affect hurricane preparedness.
11. Charge all portable radios.
12. Inspect all skiffs and davits for proper operation.
13. Review Plan guidelines for fleet in which each boat is operating.
14. Leave both engines running during all storm conditions to prevent rain water from entering exhaust stacks.

### CREW BOATS

Robert D. – Brad

1. Top off fuel tanks.
2. Inventory supplies and submit to crew logistics and supply department.
3. Test all pumps for proper operation.
4. Check and secure all manhole covers and repair as needed.
5. Check all dogs and gaskets on water tight doors and repair as needed.
6. Verify crew availability and contact numbers.
7. Secure missile hazards and stow all equipment not needed.
8. Verify that oil changes will not be needed in next 150 hours and change if needed.
9. Review recent monthly inspection for outstanding items that might affect hurricane preparedness.
10. Charge all portable radios.
11. Review Plan guidelines for fleet in which each boat is operating.
12. Coordinate with Associated Terminals for crew movements.

## CONDITION FOUR (continued)

### NEW ROADS/TIGER FLEET

#### Shawn – Jason - Denny

1. Confirm available personnel and contact numbers.
2. Confirm all barge pumps are in working condition.
3. Secure all missile hazards and equipment not needed.
4. Ensure adequate gasoline and barge pumps are available.
5. Double – up wires on barges and moorings.
6. Wrap any available empties around loads in lower fleet.
7. Check and secure hatches on all barges.
8. Secure work barge and boats behind the dock.
9. Take accurate fleet picture.
10. Confer with Customer concerning barge movements.
11. Confer with Plant regarding any issues that may need to be addressed.

### BURNSIDE FLEET

#### Shawn – Jason – Denny - Ricky

1. Managers shall meet and delegate duties to employees.
2. Check all pumps for proper operation and gas supply.
3. Check with Customer for barges leaving the fleet before the storm.
4. Block fleet as loads and empties dictate (if needed).
5. Inventory emergency supplies and obtain missing items.
6. Remove loose lines and rigging from barges in fleet.
7. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water.
8. Start the tie down of all fiberglass covers and secure grain door latches.
9. Continue to monitor storm updates and track of hurricane.
10. Take accurate fleet picture.
11. Confer with Customer concerning barge movements.

### HARAHAN FLEET

#### Ted – Jeff – John

1. Managers shall meet and delegate duties to employees.
2. Inventory emergency supplies and obtain missing items.
3. Check wash dock for missile hazards and secure all gear.
4. On the wash dock, check all voids on all barges. Inform Customer representative of any tanks with 2 or more inches of water.
5. On the wash and repair dock, start the tie down of all fiberglass covers and secure grain door latches.
6. Continue to monitor storm updates and track of hurricane.
7. Coordinate our actions with Customer's fleet office.

## CONDITION FOUR (continued)

### TRIANGLE FLEET

#### Dustin – Aaron - Ricky – John

1. All Managers meet and delegate duties to employees
2. Check all pumps for proper operation and gas supply. Inventory emergency supplies and obtain missing items.
3. Check wash dock and crane barge for missile hazards and secure all gear.
4. Check all tanks on crane barge and pump any water over 2". Secure manhole covers.
5. Check crane and M/V Linda Finn for fuel and fill as needed.
6. Check with dispatch for barges leaving the fleet before the storms
7. Lower crane boom and tie down to deck and secure all hatches and doors
8. On the wash and repair dock, check all voids on all barges. Pump all tanks with 2 or more inches of water.
9. Make temporary repairs to hulls, decks and covers as needed.
10. Place all equipment that could be damaged by water on high ground.
11. Secure gas and diesel tanks that could float away.
12. In the fleet and on the wash and repair dock, start the tie down of all fiberglass covers and secure grain door latches.
13. Turn off gas and oxygen to work dock (at main tank and each substation).
14. Turn off non-essential power from main breaker box.
15. Continue to monitor storm updates and track of hurricane.
16. Coordinate our actions with Customer's Fleet office.

### DOCKSIDE FLEET

#### Ray – Albert – John

1. Close the fleet to all parties except Turn Services.
2. Managers shall meet and delegate duties to employees.
3. Visually inspect all shore wires.
4. Check all pumps for proper operation and gas supply.
5. Check with dispatch for barges leaving the fleet before the storm.
6. Block fleet as loads and empties dictate.
7. Inventory emergency supplies and obtain missing items.
8. Remove loose lines and rigging from barges in fleet.
9. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water.
10. Make temporary repairs to hulls, decks and covers as needed.
11. Start the tie down of all fiberglass covers and secure grain door latches.
12. Continue to monitor storm updates and track of hurricane.

## CONDITION FOUR (continued)

### MERAUX FLEET

#### Ray – Calvin – John

1. Close the fleet to all parties except Turn Services.
2. Managers shall meet and delegate duties to employees.
3. Visually inspect all shore wires.
4. Check all pumps for proper operation and gas supply.
5. Check crane for fuel and top off as needed.
6. Check crane and M/V Grindstone for fuel and fill as needed.
7. Check with dispatch for barges leaving the fleet before the storm.
8. Block fleet as loads and empties dictate.
9. Inventory emergency supplies and obtain missing items.
10. Remove loose lines and rigging from barges in fleet.
11. Check crane barge for missile hazards and secure all gear.
12. Check all tanks on crane barge and pump any water over 2". Secure manhole covers.
13. Lower crane boom and tie down to deck and secure all hatches and doors.
14. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water.
15. Make temporary repairs to hulls, decks and covers as needed.
16. Start wash pump engine. Prime and test pump. Notify senior management of any problems.
17. Start the tie down of all fiberglass covers and secure grain door latches.
18. Continue to monitor storm updates and track of hurricane.

### CHS FLEET

#### Shawn – Jason - Denny

**WHEN THE CARROLLTON GAUGE IS ABOVE 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 48 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM CHS FLEET.**

1. Managers shall meet and delegate duties to employees.
2. Check all pumps for proper operation and gas supply.
3. Check with Customer for barges leaving the fleet before the storm.
4. Block fleet as loads and empties dictate (if needed).
5. Inventory emergency supplies and obtain missing items.
6. Remove loose lines and rigging from barges in fleet.
7. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water.
8. Start the tie down of all fiberglass covers and secure grain door latches.
9. Continue to monitor storm updates and track of hurricane.
10. Take accurate fleet picture.
11. Confer with Customer concerning barge movements.

CONDITION FOUR (continued)

IMT FLEET

Shawn – Jason - Denny

**WHEN THE CARROLLTON GAUGE IS ABOVE 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 48 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM IMT FLEET.**

1. Managers shall meet and delegate duties to employees.
2. Check all pumps for proper operation and gas supply.
3. Check with Customer for barges leaving the fleet before the storm.
4. Block fleet as loads and empties dictate (if needed).
5. Inventory emergency supplies and obtain missing items.
6. Remove loose lines and rigging from barges in fleet.
7. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water.
8. Start the tie down of all fiberglass covers and secure grain door latches.
9. Continue to monitor storm updates and track of hurricane.
10. Take accurate fleet picture.
11. Confer with Customer concerning barge movements.



CONDITION FOUR (continued)

MYRTLE GROVE FLEET

Allen – Chris – Albert

**WHEN THE CARROLLTON GAUGE IS ABOVE 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 48 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM MYRTLE GROVE FLEET.**

1. Close the fleet to all parties except Turn Services.
2. Managers shall meet and delegate duties to employees.
3. Visually inspect all shore wires and winches for proper tension.
4. Check all spar barges for leaks and repair as needed.
5. Check sump pumps and float switches in all spar barges. Repair or replace as needed.
6. Check and trim trees to protect power lines.
7. Check all pumps for proper operation and gas supply.
8. Check crane for fuel and top off as needed.
9. Check with dispatch for barges leaving the fleet before the storm.
10. Block fleet: Loads below and empties above.
11. Inventory emergency supplies and obtain missing items.
12. Remove loose lines and rigging from barges in fleet.
13. Check crane barge for missile hazards and secure all gear.
14. Check all tanks on crane barge and pump any water over 2". Secure manhole covers.
15. Lower crane boom and tie down to deck and secure all hatches and doors.
16. Turn off power to all equipment not in use.
17. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
18. Make temporary repairs to hulls, decks and covers as needed.
19. Start tie down of all fiberglass covers and secure grain door latches.
20. Continue to monitor storm track and progress.
21. Coordinate with Associated Terminals for movement of MGMT or any other rigs they may need assistance with moving.
- 22. SEE SPECIAL INSTRUCTIONS STARTING ON PAGE 28.**

## CONDITION FOUR (continued)

### CÔTE BLANCHE

#### Shawn – Jason - Denny

1. Managers shall meet and delegate duties to employees.
2. Visually inspect all shore wires.
3. Check all pumps for proper operation and gas supply.
4. Check with Ingram for barges leaving the fleet before the storm.
5. Block fleet as loads and empties dictate.
6. Inventory emergency supplies and obtain missing items.
7. Remove loose lines and rigging from barges in fleet.
8. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water.
9. Start the tie down of all fiberglass covers and secure grain door latches.
10. Continue to monitor storm updates and track of hurricane.
11. Take accurate fleet picture.
12. Confer with Customer concerning barge movements.
13. Confer with The Customer management regarding any outstanding issues.

### ADMINISTRATIVE OFFICE

#### Darlene – Victoria - Mike M.

1. Receive all personnel phone and availability lists. Coordinate logistics of personnel.
2. Process any payroll that could possibly be impacted by hurricane.
3. Coordinate with NOPP (or other private security company) to obtain security for Chartres if we are evacuating.

### RISK MANAGMENT

#### David - Tony

1. Process upcoming maintenance checks that could possibly be impacted by hurricane.
2. Confirm with all local parishes that there is no change in re-entry requirements should a storm enter the gulf.

### DISPATCH

#### Duty Dispatcher – Gena – Reece – Matt

1. Coordinate with Customers for barges entering and leaving fleets throughout storm and communicate same with boats and fleets.
2. Coordinate with Associated Terminals on location and timing of rig movements and requirements for towboats up river.
3. Continue to monitor storm updates and track hurricane.

### CREW LOGISTICS AND SUPPLY

#### Stacey - Raymond

1. Coordinate logistics of vessel personnel.
2. Review supply and grocery inventories and obtain needed items.
3. Confirm that all vans and trailers are inspected, and preventive maintenance completed.

### VESSEL AND FACILITY MAINTENANCE

#### Ronald – Brad

1. Coordinate with shipyards for securing any vessel with work in progress.

## CONDITION THREE

***In force when Carrollton gauge above 12 feet: Gale Force Winds Possible Within 60 Hours at Southwest Pass Farewell Buoy***

***In force when Carrollton gauge below 12 feet: Gale Force Winds Possible Within 48 Hours at Southwest Pass Farewell Buoy***

### ALL AREAS

1. We have established a hurricane emergency phone number. At Condition 3, employees will be given this phone number, **1-877-731-7323**. All employees are to call this number every 12 hours after they have left their work assignments for instructions on post storm assignments.
2. Trash pumps and safety cans should be moved from the fleet storage area to boats that are assigned to that fleet.

### PUSH BOATS

Shawn – Jason – Denny

1. Coordinate with Captains to ensure Customer requirements are being met.
2. Coordinate with Captains to ensure Turn requirements are being met.

### CREW BOATS

Robert D. – Brad

1. Crew boats above LMR MM 120 will be secured at Convent Dock.
2. Crew boats at below LMR MM 119 will be secured at Chalmette Slip.
  - Crew boat use will be limited in duration, in conditions that allow safe use, and only operate per request of Turn Services' executive management.
3. Upon arrival at Chalmette Slip, tie boats together and secure in the Slip.
4. Continue to closely monitor storm track.
5. Keep in close contact with Turn Services' main office.
6. 2" pumps will be accessible on crew boats.

### NEW ROADS/TIGER FLEET

Shawn – Jason – Denny

1. Vessels should keep Customer advised regarding our Plan implementation.

### BURNSIDE FLEET

Shawn – Jason – Denny – Ricky

1. Complete securing all barges in fleet with extra wires and lines.
2. Complete tying down grain doors and fiberglass covers.
3. Have accurate fleet picture taken.
4. Continue to closely monitor storm track.
5. Remove all pumps, gasoline, other fuels, removable maintenance equipment and other miscellaneous equipment onto Turn Services' boat.
6. Consult with the Impala office regarding our Plan and their expectations of our involvement in their hurricane plan.

## CONDITION THREE (continued)

### TRIANGLE FLEET

#### Dustin – Aaron – Ricky – John

1. Complete tying down grain doors and fiberglass covers.
2. Continue to pick up all hoses, ladders, etc. and secure same.
3. Tape up all exhausts on equipment.
4. Secure the M/V Linda Finn
5. Continue to closely monitor storm track.
6. Keep in close contact with Customer office.
7. Keep in close contact with Turn Services' main office.

### HARAHAN FLEET

#### Ted – Jeff – John

1. Complete tying down grain doors and fiberglass covers.
2. Continue to pick up all hoses, ladders, etc. and secure same.
3. Tape up all exhaust on equipment.
4. Continue to closely monitor storm track.
5. Keep in close contact with main office.
6. Consult with the local office and management of the Customer regarding our Plan and their expectations of our involvement in their hurricane plan.

### MERAUX FLEET

#### Ray – Calvin – John

1. Complete securing all barges in fleet with extra wires and lines.
2. Complete tying down grain doors and fiberglass covers.
3. Continue to pick up all hoses, ladders, etc. and secure same.
4. Store all oxygen and acetylene/propylene bottles in welders shed.
5. Pick up or strap down all loose plate.
6. Tape up all exhaust on equipment.
7. Have accurate fleet picture taken.
8. Continue to closely monitor storm track.
9. Keep in close contact with main office.
10. Secure crane barge in fleet.
11. Secure M/V Grindstone

### DOCKSIDE FLEET

#### Ray – Albert – John

1. Complete securing all barges in fleet with extra wires and lines.
2. Complete tying down grain doors and fiberglass covers.
3. Continue to pick up all hoses, ladders, etc. and secure same.
4. Tape up all exhaust on equipment.
5. Have accurate fleet picture taken.
6. Continue to closely monitor storm track.
7. Keep in close contact with main office.

## CONDITION THREE (continued)

### CHS FLEET

Shawn – Jason – Denny

**WHEN THE CARROLLTON GUAGE IS ABOVE 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 48 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHEWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM CHS FLEET.**

**WHEN THE CARROLLTON GUAGE IS BELOW 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 36 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHEWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM CHS FLEET.**

1. Complete securing all barges in fleet with extra wires and lines.
2. Complete tying down grain doors and fiberglass covers.
3. Have accurate fleet picture taken.
4. Continue to closely monitor storm track.
5. Keep in close contact with the Customer.
6. Remove all pumps, gasoline, other fuels, removable maintenance equipment and other miscellaneous equipment onto Turn Services' boat.

## CONDITION THREE (continued)

### IMT FLEET

**WHEN THE CARROLLTON GUAGE IS ABOVE 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 48 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHEWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM IMT FLEET.**

**WHEN THE CARROLLTON GUAGE IS BELOW 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 36 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHEWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM IMT FLEET.**

#### Shawn – Jason – Denny

1. Complete securing all barges in fleet with extra wires and lines.
2. Complete tying down grain doors and fiberglass covers.
3. Have accurate fleet picture taken.
4. Continue to closely monitor storm track.
5. Keep in close contact with the Customer.
6. Remove all pumps, gasoline, other fuels, removable maintenance equipment and other miscellaneous equipment onto Turn Services' boat.

## CONDITION THREE (continued)

### MYRTLE GROVE FLEET

**WHEN THE CARROLLTON GUAGE IS ABOVE 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 48 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHEWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM MYRTLE GROVE FLEET.**

**WHEN THE CARROLLTON GUAGE IS BELOW 12 FEET AND A CATEGORY 2 (OR STRONGER) HURRICANE IS PREDICTED, ALL REQUIREMENTS LISTED BELOW MUST BE MET WITH THE ADDITION OF PREPARING FOR FLOATING EQUIPMENT TO DEPART UP-RIVER 36 HOURS PRIOR TO FORECASTED HURRICANE FORCE WINDS AT SOUTHEWEST PASS. PREPERATIONS DURING CONDITION FOUR WILL INCLUDE COORDINATING WITH BARGE OWNERS/OPERATORS TO REMOVE THEIR EQUIPMENT FROM IMT FLEET.**

#### Allen – Chris – Albert

1. Complete securing all barges in fleet with extra wires and lines.
2. Complete tying down grain doors and fiberglass covers.
3. Continue to pick up all hoses, ladders, etc. and secure same.
4. Store all oxygen and acetylene/propylene bottles in welders shed.
5. Pick up or strap down all loose plate.
6. Tape up all exhaust on equipment.
7. Have accurate fleet picture taken.
8. Continue to closely monitor storm track.
9. Keep in close contact with main office.

## CONDITION THREE (continued)

### CÔTE BLANCHE

#### Shawn – Jason – Denny

1. Complete securing all barges in fleet with extra wires and lines.
2. Complete tying down grain doors and fiberglass covers.
3. Have accurate fleet picture taken.
4. Continue to closely monitor storm track.
5. Keep in close contact with The Customer management.
6. Keep in close contact with the Customer.
7. Remove all pumps, gasoline, other fuels, removable maintenance equipment and other miscellaneous equipment onto Turn Services' boat prior to the boat leaving to the marina.

### ADMINISTRATIVE OFFICE

#### Darlene - Victoria – Mike M.

1. Unplug all machines and move away from windows or any potential source of water ingress.
2. Procure any necessary food, drink or clothing as necessary.
3. Marcel will provide gate keys (and instructions) to appropriate personnel.
4. Marcel will provide entrance keys for Chartres St. building to appropriate personnel.
5. Store all patio furniture inside.
6. Management "Call Tree" will begin to verify plans and work/travel/evacuation location (SEE FOLLOWING PAGE).



CONDITION THREE (continued)

<b>CALL TREE</b>	
<b>Bob M Calls</b>	Frank M, Mario M, Mike M, John G, Brad C, Tony C, Mark P, Matt H, and Jim Buky
<b>John G Calls</b>	Albert, Allen, Ray, Ted, Dustin, Aaron, Ricky, Calvin, Chris C.
<b>Brad C Calls</b>	Ronald, Jason, Shawn, Denny, Gina, Karen, and Robert D.
<b>Mark P Calls</b>	Darlene, Victoria, Dawn, Darryion
<b>Tony C Calls</b>	David
<b>Shawn, Denny, and Jason Calls</b>	Push Boat Captains
<b>Robert D Calls</b>	Crew Boat Captains
<b>Gina and Karen Calls</b>	Deckhands
<b>Ronald Calls</b>	Maintenance Personnel
<b>Albert, Allen, Ray, Ted, Dustin, Aaron, Ricky, Calvin, Chris C. Calls</b>	Facility Personnel
<b>Stacey M Calls</b>	Drivers and Alvar Personnel

***Call tree parties above will call or e-mail Robert Mueller so an e-mail can be sent out to executive management.***

**RISK MANAGEMENT**

**David – Tony**

1. After all above contacts are made; above call tree parties will notify Robert Mueller so he can consolidate the information and then send that information to all executive management.

## CONDITION TWO

***In force when Carrollton gauge above 12 feet: Gale Force Winds Possible Within 36 Hours at Southwest Pass Farewell Buoy***

***In force when Carrollton gauge below 12 feet: Gale Force Winds Possible Within 24 Hours at Southwest Pass Farewell Buoy***

### PUSH BOATS

Shawn – Jason – Denny

1. Coordinate with Captains to ensure Customer requirements are being met.
2. Coordinate with Captains to ensure Turn requirements are being met.

### CREW BOATS

Robert D. – Brad

1. Crew boats above LMR MM 120 will be secured at Convent Dock
2. Crew boats at below LMR MM 119 will be secured at Chalmette Slip.
  - o Crew boat use will be limited in duration, in conditions that allow safe use, and only operate per request of Turn Services' executive management.
3. Upon arrival at Chalmette Slip, tie boats together and secure in the Slip.
4. Continue to closely monitor storm track.
5. Keep in close contact with Turn Services' main office.
6. 2" pumps will be accessible on crew boats.

### NEW ROADS/TIGER FLEET

Shawn – Jason – Denny

1. Keep Customer informed of our activities and their expectations of us.

### BURNSIDE FLEET

Shawn – Jason – Denny – Ricky

1. Keep Customer informed of our activities and their expectations of us.

### TRIANGLE FLEET

Dustin – Aaron - Ricky – John

1. Complete final inspection of dock.
2. Contact Customer's office and advise of our final inspection, completion of all procedures, and departure of personnel from premises.
3. Contact Turn Services' main office and advise of our final inspection and completion of all procedures.
4. Coordinate with the Customer on the implementation of our Plan and their expectation of our involvement in their plan.

### HARAHAN FLEET

Ted – Jeff – John

1. Complete final inspection of dock.
2. Contact Turn Services' main office and advise of final inspection and completion of all procedures.
3. Consult with the Customer office regarding the status of this Plan.

## CONDITION TWO (continued)

### MERAUX FLEET

#### Ray – Calvin – John

1. Complete our final inspection of fleet.
2. Contact Turn Services' main office and advise of our final inspection and completion of all procedures.

### DOCKSIDE FLEET

#### Ray – Albert – John

1. Complete our final inspection of fleet.
2. Contact Turn Services' main office and advise of our final inspection and completion of all procedures.

### MYRTLE GROVE FLEET

#### Allen – Chris – Albert

1. Complete our final inspection of the fleet.
2. Contact Turn Services' main office and advise of our final inspection and completion of all procedures.

### CHS FLEET

#### Shawn – Jason – Denny

1. Keep the customer informed of our activities and their expectations of us.

### IMT FLEET

#### Shawn – Jason – Denny

1. Keep the customer informed of our activities and their expectations of us.

### CÔTE BLANCHE

#### Shawn – Jason - Denny

1. Keep the Customer informed of our activities and their expectations of us.

### ADMINISTRATIVE OFFICE

#### Darlene - Victoria – Mike M.

1. Unplug all machines and move away from windows or any potential source of water ingress.
2. Lock all exterior doors.
3. Update personnel phone list for employees and email to managers.
4. If Chartres Street office is powered/has back up power, ample food and drink for 1 week should be on hand.

### RISK MANAGEMENT

#### David – Tony

1. David will be on call for any injury, incident, or other risk management issues that arise at or above LMR MM 120 (or west of Morgan City on the GICWW)
2. Tony will be on call for any injury, incident, or other risk management issues that arise at or above LMR MM 120 (or west of Morgan City on the GICWW)

### DISPATCH

#### Duty Dispatcher – Gena - Reece – Matt

1. Ensure backup laptop is charged and available until the storm has passed.

CONDITION TWO (continued)

VESSEL AND FACILITY MAINTENANCE

Ronald – Brad

1. Confirm location and availability of mechanics and electricians.

CREW LOGISTICS AND SUPPLY

Stacey – Raymond

1. Unplug all machines, place inside plastic trash bags and move away from windows or any potential source of water ingress.
2. Turn off all air conditioners.
3. Lock all exterior doors.

**SEE SPECIAL INSTRUCTIONS STARTING ON PAGE 28 FOR ADDITIONAL INSTRUCTION.**

## SPECIAL INSTRUCTIONS

### MYRTLE GROVE FLEET (ACTIONS DURING CONDITION 4)

#### Allen – Albert – John

1. Managers meet and delegate duties to employees.
2. Check all spar barges for leaks and repair as needed.
3. Remove shore wires from spar barges and secure to dolphins.
4. Build tow of spar barges. If some spar barges have to be left behind secure together at bottom of fleet using a shore wire if available:
  - a. Spar barge numbers are: TSI 134, 139, 124, XL 799, TSI 177, TSI 117, TSI 108, TSI 176, TSI 125, TSI 118, TSI 166 (gangway barge), TSI 167 (office barge), TSI 135 (wash barge), TS 6 (crane barge), PMC 883 (crew room barge), Karen B 211 (coal receiver barge), TSI 178 (coal reclaim barge), TS 12 (excavator barge), TSI 136, TSI 121, TSI 137, TSI 140, TSI 141, TSI 138, TSI 172, TSI 167, TSI 171, CBY 203, and the TSI 116.
5. Check and trim trees to protect power lines.
6. Check all pumps for proper operation and gas supply.
7. Check with dispatch for barges leaving the fleet before the storms.
8. Inventory emergency supplies and obtain missing items.
9. Turn off power to all equipment not in use.
10. Remove loose lines and rigging from barges in fleet.
11. Check crane barge for missile hazards and secure all gear. Lower crane boom to deck and secure all hatches and doors.
12. Check all tanks on crane barge and pump any water over 2”.
13. Secure manhole covers.
14. Turn off power to all equipment not in use.
15. Check all voids on all barges in fleet. Pump all tanks with 2 or more inches of water. Secure all manholes after pumping.
16. Make temporary repairs to hulls, decks and covers as needed.
17. **BOATS TO LEAVE FLEET WITH ALL BARGES, INCLUDING OFFICE, RAMP AND SPAR BARGES IN TOW AT LEAST 36 HOURS BEFORE FORECAST HURRICANE FORCE WINDS. IF RIVER CONDITIONS NECESSITATE, THIS TIMELINE MAY BE PUSHED UP AS DEEMED APPROPRIATE BY TURN SERVICES MANAGEMENT.**

## SPECIAL INSTRUCTIONS (continued)

### TAR 1 (ALL TIMES DURING HURRICANE SEASON)

#### John – Mike M

1. Ensure that TAR 1 is in full working and ready state.
2. Know location of TAR 1 at all times.
3. TAR 1 is subject to the procedures of the fleet it is located.

### MOVEMENT OF MISCELLEANOUS BARGES IN CHALMETTE SLIP

#### (ALL TIMES DURING HURRICANE SEASON)

1. Coordination will be made between Turn Services and Associated Grain Terminals for movement/storage of the below barges at the Chalmette Slip:

#### a. **MGMT BARGE**

- i. Turn parties will coordinate with ATSB and Associated Grain Terminals.
- ii. The MGMT will be on upriver wall, section C, all the way to the end.
- iii. The MGMT will have to be in the slip with the stern close to the river end of the slip and the bow pointed to the land end of the slip (so the CBU will be outboard).
- iv. MGMT Rig (and any rig in the fleet) to start up river to Chalmette Slip with two boats as soon as fleet is secure or other boats become available to assist in fleet work.
- v. Upon arrival at the Chalmette Slip, the MGMT rig must be moored on the upriver wall (section 'c') of the slip, riverward.
- vi. Two deck barges must be placed alongside the MGMT rig to protect the continuous belt unloader on the starboard side of the rig.
- vii. This must be closely coordinated with Perry Becnel of Associated Grain Terminals.
- viii. All empty barges are to be moved up river to the respective barge lines fleet. In the event fleets are closed and will not accept barges the tows will continue up river to MI 263 or closer safe harbor.

#### b. **OTHER BARGE(S)**

- i. There will be two barges located on the starboard side of the MGMT under the CBU (digging buckets).

#### c. **CRANE BARGES**

**\*The below named equipment may be substituted for another due to operation commitments.**

The below will be positioned in the Slip as they come in, but after the MGMT is in place:

- i. T. May
- ii. T. Lange
- iii. Talley Perez
- iv. Attitude
- v. K. Robertson

## SPECIAL INSTRUCTIONS (continued)

Coordination will be made with one or more of the following Associated Terminal Employees:

**Perry Becnel (Primary)**

(504) 415-6514

perry@associatedterminals.com

**Keith Roach**

(504) 415-0889

keith@associatedterminals.com

**Forrest Russell (Secondary)**

(504) 415-6760

forrest@associatedterminals.com

**Jason Perez**

(504) 415-6764

jason@associatedterminals.com

**Frankie Walker**

(504) 415-6761

frankie@associatedterminals.com

**Troy Louque**

(504) 415-0630

troy@associatedterminals.com

## **POST STORM CONDITION**

### **FACILITIES MANAGERS WILL:**

1. Inspect all facilities and equipment and report any damage.
2. Notify utility companies of any telephone, electric, or gas outages as soon as possible.

### **VICE PRESIDENT OF VESSEL OPERATIONS WILL:**

1. Notify crew members of storm's passing and notify the Senior Vice President of Operations of the number and positions available on each vessel for each watch.

### **MANAGERS WILL:**

1. When the all clear is given and it safe for employees to report to work, managers will advise employees directly and via 1-877-731-7323 message number.
2. Managers to form damage assessment teams to inspect facility and vessels for any damage and record same.
3. Inspect all barges in fleet for damage and water.
4. When post storm recovery is complete, return all unused supply items and equipment to storage.
5. Make complete inventory and replace items as necessary.
6. Inform the risk department of all damages or personal injuries that have or may have occurred due to the storm.

### **CREW LOGISTICS AND SUPPLY WILL:**

1. Survey current inventory at warehouse.
2. Coordinate with vessels and fleets for supply needs.
3. Determine which vendors are open for business (as some may have closed for the storm).

### **EMPLOYEES WILL:**

1. Employees returning to job site should bring their own food.
2. When returning to work, watch out for snakes, downed power lines, and other hazards.



**2019 HURRICANE PREPAREDNESS PLAN**  
**INCLUDES CONSIDERATION FOR HIGH WATER**

**PRE-HURRICANE SUPPLY CHECKLIST**

*SUPPLIES MUST BE KEPT AT FACILITY DURING HURRICANE SEASON*

TRIANGLE	HARAHAN	MYRTLE GROVE	DOCKSIDE	MERAUX	CHALMETTE	COTE BLANCHE	ALVAR ST / Maint Yard.	BURNSIDE/ CHS Fleet/ IMT	DESCRIPTION
1	1	1	1	1	1	1	1	N/A	First Aid Kit
N/A	N/A	N/A	N/A	2	N/A	N/A	N/A	N/A	Shore Wires
N/A	N/A	2	2	4	N/A	N/A	N/A	N/A	35 Ton Shackles
N/A	N/A	N/A	N/A	N/A	2	N/A	N/A	N/A	2" Trash Pumps in working condition
N/A	N/A	N/A	N/A	N/A	2	N/A	N/A	N/A	Suction Hose 25' x 3"
N/A	N/A	N/A	N/A	N/A	2	N/A	N/A	N/A	2" Gaskets
3	N/A	2	2	2	N/A	1	N/A	1	3" Trash Pumps in working condition
3	N/A	2	2	2	N/A	1	N/A	1	Suction Hose 25' x 3"
6	N/A	6	6	6	N/A	1	N/A	1	3" Gaskets
50	N/A	50	50	50	50	20	N/A	20	Gallons of Gasoline
10	N/A	2	2	2	2	4	N/A	4	5 Gallon Safety Gas Cans
6	N/A	6	6	6	6	3	N/A	N/A	Spark Plugs for Pumps
3	N/A	2	2	2	2	1	N/A	N/A	Pull Cords for Pumps
1	N/A	1	1	1	1	1	N/A	N/A	Case of SAE 30W Motor Oil for Pumps
1	1	1	1	1	N/A	1	N/A	1	5 Foot Pry Bars
4	4	4	4	4	4	1	N/A	N/A	Hack Saws
12	12	12	12	12	12	5	N/A	N/A	Hack Saw Blades
12	6	12	12	12	5	5	N/A	5	6 Volt Flash Light
2	2	2	2	2	2	2	N/A	2	Cases of 6 Volt Batteries
1	N/A	1	1	1	1	1	N/A	1	Socket Set
1	N/A	1	1	1	1	1	N/A	1	Wrench Set
N/A	N/A	6	6	6	N/A	4	N/A	4	Toothpicks
N/A	N/A	3	3	3	N/A	2	N/A	2	Cheater Pipes 1 1/2" x 48"
N/A	N/A	30	30	30	N/A	N/A	N/A	N/A	Ratchets
N/A	N/A	30	30	30	N/A	N/A	N/A	N/A	Chain Slings

**2019 HURRICANE PREPAREDNESS PLAN**  
**INCLUDES CONSIDERATION FOR HIGH WATER**

TRIANGLE	HARAHAN	MYRTLE GROVE	DOCKSIDE	MERAUX	CHALMETTE	COTE BLANCHE	ALVAR ST / Maint Yard.	BURNSIDE/ CHS Fleet/ IMT	DESCRIPTION
N/A	N/A	50	50	50	N/A	N/A	N/A	N/A	35' Wires
N/A	N/A	30	30	30	NA	N/A	N/A	N/A	Shackles and Pins
4	N/A	4	4	4	N/A	2	N/A	2	1 1/2" Electric Sump Pumps
1	N/A	1	1	1	1	1	N/A	N/A	Rolls of Visqueen
6	N/A	6	6	6	N/A	N/A	N/A	N/A	Extra Oil & Fuel Filters for Crane, Wash Pump, Bob Cat and Air Compressor
1	N/A	1	1	1	1	1	N/A	1	Screwdriver Set
10	N/A	10	10	10	N/A	5	N/A	5	5 Gallons Jugs of Water
10	10	10	10	10	10	5	N/A	5	Cases .5 liter Bottled Water
1	N/A	1	1	1	1	1	N/A	1	Case Of Cups for Water
N/A	N/A	N/A	N/A	N/A	6	1	N/A	1	600' x 2" Coils of Poly-Dacron Rope
N/A	N/A	3	3	3	N/A	2	N/A	2	600 Foot x 1.5" Coils of Poly-Pro Rope
1	1	1	1	1	N/A	1	N/A	1	600 Foot x 3/8" Coils of Poly-Pro Rope
6	N/A	6	6	6	6	3	N/A	3	Razor Knives
6	N/A	6	6	6	6	2	N/A	2	Packs of Razor Blades
4,000	N/A	4,000	4,000	4,000	N/A	1,000	N/A	N/A	Large Wire Ties 36" x .5"
3,600	N/A	3,600	3,600	3,600	N/A	500	N/A	N/A	Small Wire Ties 14.5" x .0187"
10	10	10	10	10	10	3	N/A	N/A	Rolls of Duct Tape
8	N/A	8	8	8	N/A	4	N/A	N/A	Load Binders
2	N/A	2	2	2	N/A	N/A	N/A	N/A	50 Foot Lengths of 3/8" Chain
4	N/A	4	4	4	4	4	N/A	4	Bundles of Shingles
6	N/A	6	6	6	N/A	2	N/A	2	Wire Cutters
2	2	2	2	2	N/A	N/A	N/A	N/A	Large Ice Chests (for bottled water)
N/A	N/A	N/A	N/A	N/A	2	N/A	N/A	N/A	Small Ice Chest (Bottled Water)

\*CHS / IMT supply items shall be kept at Turn Services' Myrtle Grove Fleet

\*BURNSIDE supply will be kept on the lead boat at Burnside Fleet

### TURN SERVICES, LLC CONTACT LIST

<b>NAME</b>	<b>NUMBER</b>	<b>EMAIL</b>
Aaron LeBlanc	504-301-8393	aaron@turnservices.com
Albert Bentley	504-329-1903	albert@turnservices.com
Allen Synigal	504-915-8399	allen@turnservices.com
Bob Mueller	504-432-3403	robert@turnservices.com
Brad Chauvin	504-342-6486	brad@turnservices.com
Charlie Romback	504-235-3184	N/A
David Bullard	504-494-5769	dbullard@turnservices.com
Dawn Lopez	985-856-1288	dlopez@turnservices.com
Darlene Valdez	504-957-9689	darlene@turnservices.com
Darryion Osborne	504-756-9380	darryion.osborne@turnservices.com
Denny Palmer	504-232-4568	denny.palmer@turnservices.com
Dustin Smith	504-416-4122	dustin@turnservices.com
Frank Morton	504-329-1896	frank@turnservices.com
Gena Wilson	504-875-6234	gena@turnservices.com
Gina LeBlanc	504-756-9144	gleblanc@turnservices.com
Jason Pitre	504-915-1120	jpitre@turnservices.com
Jim Buky	504-450-0008	james@turnservices.com
John Garner	504-905-6609	john@turnservices.com
Karen Mays	504-220-9162	kmays@turnservices.com
Luke Fratello	504-432-4403	luke@turnservices.com
Marcel Jaubert	504-202-3655	marcel@turnservices.com
Mario Muñoz	502-920-2884	mario@turnservices.com
Mark Pisani	504-220-7257	mark@associatedterminals.com
Matt Hayden	513-236-3819	mhayden@turnservices.com
Mike Breslin	225-252-2396	mbreslin@turnservices.com
Mike Marshall	504-218-3472	mike@turnservices.com
Ray Watson	504-281-8103	ray@turnservices.com
Raymond Fleming	504-222-7515	fleming61606@gmail.com
Reece Wilson	601-307-1612	rwilson@turnservices.com
Ricky Stein	504-202-2869	ricky@turnservices.com
Robert Dick	504-373-7805	rdick@turnservices.com
Ronald Breaux	504-402-0252	rbreaux@turnservices.com
Shaun Dauzat	504-377-5012	sdauzat@turnservices.com
Stacey Migliore	504-232-7704	smigliore@turnservices.com
Ted Monroe	504-270-8136	ted@turnservices.com
Tony Collins	225-399-3043	tony@associatedterminals.com
Victoria Rotman	504-934-4641	vrotman@turnservices.com
<b>TURN SERVICES</b>	<b>504-949-1014</b>	<b>dispatch@turnservices.com</b>



